L Number	Hits	Search Text	l DB	m:
1	14		DB	Time stamp
-	1	projection fon beam fithography	USPAT;	2004/07/11 19:50
			US-PGPUB;	
2	1	5264001 nn and width	EPO; JPO	
3		5264981.pn. and width	USPAT	2004/07/11 19:51
4	0	The state of the s	USPAT	2004/07/11 19:51
	0	The state of the s	USPAT	2004/07/11 19:53
5	1	The second secon	USPAT	2004/07/11 20:08
6	1		USPAT	2004/07/11 20:08
7	13		USPAT	2004/07/11 20:10
		"6162582" "6219206" "6297938" "6317302" "6392852" "6404603" "6424508" "6496333"		
		"6525903").pn.		1
_	2918	438/3.ccls. 29/592.1.ccls.	USPAT; US-PGPUB;	2004/07/08 09:29
			EPO; JPO	
-	9982	magnetoresistive	USPAT; US-PGPUB;	2004/07/08 09:21
l _	126		EPO; JPO	
	120	magnetoresistive and (438/3.ccls. 29/592.1.ccls.	USPAT; US-PGPUB;	2004/07/08 09:22
_	4	/"5070662" "5550101" "6077610"	EPO; JPO	
	4	("5079662" "5550101" "6077618" "6317302").pn.	USPAT; US-PGPUB;	2004/07/08 09:24
_	4827	438/3.ccls. 29/592.1.ccls. 438/514.ccls.	EPO; JPO	2004/07/00 00 55
		438/520.ccls. 438/528.ccls. 438/531.ccls.	USPAT;	2004/07/08 09:30
		360/316.ccls. 360/327.ccls. 360/325.ccls.	US-PGPUB; EPO; JPO	
		428/693.ccls.	EPO; JPO	
l -	1159	(438/3.ccls. 29/592.1.ccls. 438/514.ccls.	IICDAM.	2004/07/00 10 56
	1 1100	438/520.ccls. 438/528.ccls. 438/531.ccls.	USPAT;	2004/07/09 10:56
1		360/316.ccls. 360/327.ccls. 360/325.ccls.	US-PGPUB;	
1		428/693.ccls.	EPO; JPO	į i
) and (magnet\$8)		
_	88		HCDAE	0004 (07 (00 55 55
1		438/520.ccls. 438/528.ccls. 438/531.ccls.	USPAT;	2004/07/08 09:47
1		360/320.ccls. 438/528.ccls. 438/531.ccls. 360/316.ccls. 360/327.ccls. 360/325.ccls.	US-PGPUB;	1
		428/693.ccls.	EPO; JPO	
1				
) and (magnet\$8)) and (implant\$3 adj3 ion\$2)		į į
1_	277	, ,		
_	2//		USPAT	2004/07/08 09:47
_	0	ARNETT.INV. and "width control"	USPAT	2004/07/08 09:48
_		"profjection ion beam lithography"	USPAT;	2004/07/08 09:48
			US-PGPUB;	
l _	3150	Ilma concerl (mark)	EPO; JPO	_
-	3150	"mr sensor" (magnetoresistive adj2 sensor)	USPAT;	2004/07/08 09:49
			US-PGPUB;	
_		/ !!	EPO; JPO	
-	.1	("mr sensor" (magnetoresistive adj2	USPAT;	2004/07/08 09:49
		sensor)) and "projection ion beam	US-PGPUB;	
		lithography"	EPO; JPO	
_	49	("mr sensor" (magnetoresistive adj2	USPAT;	2004/07/08 13:06
		sensor)) and (ion adj3 implant\$8)	US-PGPUB;	
			EPO; JPO	
-	18	(("mr sensor" (magnetoresistive adj2	USPAT;	2004/07/08 10:12
		sensor)) and (ion adj3 implant\$8)) and	US-PGPUB;	
		mask	EPO; JPO	J .
-	3	(US-4308592-\$ or US-5502325-\$).did. or	USPAT;	2004/07/08 10:12
		(US-20040027732-\$).did.	US-PGPUB	
-	0	((US-4308592-\$ or US-5502325-\$).did. or	USPAT;	2004/07/08 10:13
		(US-20040027732-\$).did.) and (irradiation	US-PGPUB;	
		irradiate) ,	EPO; JPO	
-	2	((US-4308592-\$ or US-5502325-\$).did. or	USPAT;	2004/07/08 10:13
l		(US-20040027732-\$).did.) and (reduce	US-PGPUB;	111,11,00 10,13
İ		eliminate)	EPO; JPO	
-	1094	((ion adj3 implant\$8) adj4 temperature)	USPAT;	2004/07/08 13:27
ĺ		The second of th	US-PGPUB;	2004/07/00 13:27
			EPO; JPO	ļ
_	0	(((ion adj3 implant\$8) adj4 temperature))	USPAT;	2004/07/09 12:07
		same magnetoresistive	US-PGPUB;	2004/07/08 13:07
	l			
			EPO; JPO	I

	_			
_	0	(((ion adj3 implant\$8) adj4 temperature)) and magnetoresistive	USPAT; US-PGPUB;	2004/07/08 13:08
-	5	(((ion adj3 implant\$8) adj4 temperature)) same magnet	EPO; JPO USPAT; US-PGPUB;	2004/07/08 13:08
-	0	(((ion adj3 implant\$8) adj4 temperature)) and (magnetoresistive)	EPO; JPO USPAT; US-PGPUB;	2004/07/08 13:26
-	81	((ion adj3 implant\$8) adj4 "room temperature")	EPO; JPO USPAT; US-PGPUB;	2004/07/08 13:34
_	22	(((ion adj3 implant\$8) adj4 "room temperature")) and (magnet manetoresistive nickel iron NiFe magnetic	EPO; JPO USPAT; US-PGPUB; EPO; JPO	2004/07/08 13:37
-	45	<pre>ferromagnetic) (((ion adj3 implant\$8) adj4 temperature)) and magnet</pre>	USPAT; US-PGPUB; EPO; JPO	2004/07/09 10:51
_	0	4308592.pn. and irradiate	USPAT	2004/07/08 14:13
-	0	4308592.pn. and irradiat\$3	USPAT	2004/07/08 14:13
-	45	(((ion adj3 implant\$8) adj4 temperature)) and magnet	USPAT; US-PGPUB; EPO; JPO	2004/07/09 10:59
-	2	<pre>((((ion adj3 implant\$8) adj4 temperature)) and magnet) and (tails stringers tail stringer)</pre>	USPAT; US-PGPUB; EPO; JPO	2004/07/09 10:51
_	1159	(438/3.ccls. 29/592.1.ccls. 438/514.ccls. 438/520.ccls. 438/528.ccls. 438/531.ccls. 360/316.ccls. 360/327.ccls. 360/325.ccls. 428/693.ccls.) and (magnet\$8)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 10:56
_	10	((438/3.ccls. 29/592.1.ccls. 438/514.ccls. 438/520.ccls. 438/528.ccls. 438/531.ccls. 360/316.ccls. 360/327.ccls. 360/325.ccls. 428/693.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/07/09 10:56
-	67744) and (magnet\$8)) and (tail\$1 stringer\$1) (ion adj3 implant\$8)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 10:59
_	1146	((ion adj3 implant\$8)) and (tail\$1 stringer\$)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 10:59
-	67	(((ion adj3 implant\$8)) and (tail\$1 stringer\$)) and (magneto\$8 ferroelectric)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 11:09
_	624	(gmr mmr) and (tail\$1 stringer\$1)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 11:17
-	74	((gmr mmr) and (tail\$1 stringer\$1)) and sputter\$3	USPAT; US-PGPUB; EPO; JPO	2004/07/09 11:36
-	1	5949623.pn. and (photolithographic)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 11:35
_	0	5949623.pn. and (electron)	USPAT; US-PGPUB;	2004/07/09 11:35
_	0	5949623.pn. and (stencil)	EPO; JPO USPAT; US-PGPUB;	2004/07/09 11:35
-		(US-6111722-\$ or US-5949623-\$ or US-5528440-\$).did.	EPO; JPO USPAT	2004/07/09 11:36
-	0	((US-6111722-\$ or US-5949623-\$ or US-5528440-\$).did.) and electron	USPAT; US-PGPUB; EPO; JPO	2004/07/09 11:36
_	0	((US-6111722-\$ or US-5949623-\$ or US-5528440-\$).did.) and stencil	USPAT; US-PGPUB; EPO; JPO	2004/07/09 11:37
-	26	"electron beam resist mask"	USPAT; US-PGPUB; EPO; JPO	2004/07/09 11:50
L		<u></u>	,,	

_	7299	"e-beam"	USPAT;	2004/07/09 11:51
			US-PGPUB;	
			EPO; JPO	
-	103	"e-beam" and (gmr mmr magnetoresistive)	USPAT;	2004/07/09 12:00
1			US-PGPUB;	
			EPO; JPO	
] -	1141	"stencil mask"	USPAT;	2004/07/09 12:00
i			US-PGPUB;	
			EPO; JPO	
-	9	"stencil mask" and (gmr mmr	USPAT;	2004/07/09 12:08
		magnetoresistive)	US-PGPUB;	
			EPO; JPO	
-	1	5949623.pn. and width	USPAT	2004/07/09 12:09
-	0	5264981.pn. and width	USPAT	2004/07/09 12:09
	0	5614727.pn. and width	USPAT	2004/07/09 12:09

Page 3